

SCREENPRODUCTS

SCREENING MEDIA



CONSUMABLES





UNIT 24, LAGUNA SECA, 43 LEE BARNES BOULEVARD, BALLITO, 4420

INDEX


SCREENING ACCESSORIES

- CAPPING / NOSING RUBBER
- CAPPING / NOSING POLYURETHANE
- CLAMPING PLATES
- CLAMPING PLATES – COATED METAL
- CUP SQUARE ASSEMBLY / TENSION BOLT
- HOOK BOLT



SCREEN ACCESSORIES :

The following screening accessories are vital to your screening process. To maximise screen-cloth life we recommend you replace any of the listed items immediately if showing any signs of wear or damage :



(Correct screen hook dimension determined by side plate measurement no less than 20mm each side)

CAPPING / NOSING RUBBER


Available in short leg and long leg, supplied in 30m rolls, used as a buffer between your screen and stringer frame (camber bars)



CAPPING / NOSING POLYURETHANE

Screen Products offers capping/nosing in Polyurethane. This material is more robust and wears slower than rubber in screening applications.



Available in 1m / 1,2m lengths.



CLAMPING PLATES

Supplied in 2 bend or 3 bend depending on the vibrating screen make, either with holes or without.

For hole detail, ScreenProducts can send a drawing to be completed in order to ensure holes are punched in the correct sequence.



CLAMPING PLATES : POLYURETHANE - COATED METAL

The polyurethane coating provides excellent wear resistance and durability, protecting both the clamping plate and the surfaces it contacts.

This coating also adds a cushioning effect, which helps prevent damage or binding to delicate workpieces during clamping. Additionally, polyurethane has a high resistance to oils, chemicals, and abrasion, extending the lifespan of the plate and ensuring consistent performance in demanding environments.

Its non-marking and noise-dampening properties further enhance safety and efficiency in the workplace.




CLAMP / TENSION BOLT

Available in M20, 140, 160 and 200 long. Manufactured from 8.8 high tensile material.

COMPLETE CUP BOLT ASSEMBLY INCLUDES:

- Cup Square Bolt,
- Dome Washer,
- Plain Washer,
- Hex Nut,

ALL PARTS ARE ALSO SOLD SEPARATELY.






COMPLETE BOLT ASSEMBLY

DOMES WASHERS – TO GO WITH CLAMPING BOLT



COMPLETE BOLT ASSEMBLY - HAMMERHEAD



HOOK - BOLT

Hook Bolts are not required when screens are correctly tensioned. However, as screens wear over time, Hook Bolts can be introduced to prevent screen “flapping” and maintain stability. One end of the bolt is threaded to accommodate a nut and washer, while the hooked end engages with the screen frame or support structure.

By tightening the nut, the bolt applies consistent tension, pulling the screen taut and ensuring proper alignment for reliable performance and extended service life.



GET IN TOUCH :

DERRICK COCHRANE – OPERATIONS DIRECTOR

Cell: 063 516 8720

derrick@screenproducts.co.za

JASON KINNEAR – TECHNICAL DIRECTOR

Cell: 082 306 5964

jason@screenproducts.co.za

