

SCREENPRODUCTS

SCREENING MEDIA



CONSUMABLES






UNIT 24, LAGUNA SECA, 43 LEE BARNES BOULEVARD, BALLITO, 4420

INDEX


SCREENING ACCESSORIES

- CAPPING / NOSING RUBBER
- CAPPING / NOSING POLYURETHANE
- CLAMPING PLATES
- CLAMPING PLATES – COATED METAL
- CUP SQUARE ASSEMBLY/ TENSION BOLT
- HOOK BOLT



SCREEN ACCESSORIES :


The following screening accessories are vital to your screening process. To maximise screen-cloth life we recommend you replace any of the listed items immediately if showing any signs of wear or damage :



(Correct screen hook dimension determined by side plate measurement no less than 20mm each side)

CAPPING / NOSING RUBBER


Available in short leg and long leg, supplied in 30m rolls, used as a buffer between your screen and stringer frame (camber bars)



CAPPING / NOSING POLYURETHANE

Screen Products offers capping/nosing in Polyurethane. This material is more robust and wears slower than rubber in screening applications.



Available in 1m / 1,2m lengths.



CLAMPING PLATES

Supplied in 2 bend or 3 bend depending on the vibrating screen make, either with holes or without.

For hole detail, ScreenProducts can send a drawing to be completed in order to ensure holes are punched in the correct sequence.



CLAMPING PLATES : POLYURETHANE - COATED METAL

The polyurethane coating provides excellent wear resistance and durability, protecting both the clamping plate and the surfaces it contacts.

This coating also adds a cushioning effect, which helps prevent damage or binding to delicate workpieces during clamping. Additionally, polyurethane has a high resistance to oils, chemicals, and abrasion, extending the lifespan of the plate and ensuring consistent performance in demanding environments.

Its non-marking and noise-dampening properties further enhance safety and efficiency in the workplace.



CLAMP / TENSION BOLT

Available in M20, 140, 160 and 200 long. Manufactured from 8.8 high-tensile material.

COMPLETE BOLT ASSEMBLY INCLUDES:

- Cup Square Bolt,
- Dome Washer,
- Plain Washer,
- Hex Nut,





ALL PARTS ARE ALSO SOLD SEPARATELY.


COMPLETE BOLT ASSEMBLY



COMPLETE BOLT ASSEMBLY – HAMMERHEAD



DOM WASHERS



HOOK - BOLT

Hook Bolts are used to securely fasten and maintain tension on screening media within side-tensioned deck systems.

Manufactured in 8.8 High Tensile grade, the threaded end accommodates a nut and washer, while the hooked end engages into the screen frame or support channel.

When tightened, the bolt applies a firm clamping force to keep the screen properly tensioned and stable under vibration.

Hook Bolts help reduce movement, prevent lifting, and extend screen life by maintaining consistent performance and alignment.



GET IN TOUCH :

DERRICK COCHRANE – OPERATIONS DIRECTOR

Cell: 063 516 8720

derrick@screenproducts.co.za

JASON KINNEAR – TECHNICAL DIRECTOR

Cell: 082 306 5964

jason@screenproducts.co.za

